

INDEX OF AUTHORS

VOLUME 80 (EP), (1991)

- Abbes, S., Louvel, J., Lamarche, M. and Pumain, R.
 Laminar analysis of the origin of the various components of evoked potentials in slices of rat sensorimotor cortex (80) 310
- Affricano, C., see Stanzione, P. (80) 446
- Amabile, G., see Stanzione, P. (80) 446
- Aneja, I.S., see Panjwani, G.D. (80) 384
- Antonozzi, I., see Cardona, F. (80) 8
- Backonja, M., see Joseph, J. (80) 46
- Baffa, O., see Joseph, J. (80) 46
- Baratto, F., see Facco, E. (80) 469
- Bastuji, H., see García-Larrea, L. (80) 201
- Baumann, S.B., Rogers, R.L., Guinto, F.C., Saydjari, C.L., Papanicolaou, A.C. and Eisenberg, H.M.
 Gender differences in source location for the N100 auditory evoked magnetic field (80) 53
- Bazzano, S., see Onofri, M. (80) 167
- Behr, A.U., see Facco, E. (80) 469
- Benedetti, P., see Cardona, F. (80) 8
- Biscay, R., see Machado, C. (80) 392
- Bladin, P.F., see Macdonell, R.A.L. (80) 276
- Bleich, N., see Pratt, H. (80) 572
- Bodis-Wollner, I., see Ghilardi, M.F. (80) 1
- Bodis-Wollner, I., see Glover, A. (80) 65
- Bolaños, J., see Witt, J.C. (80) 551
- Borenstein, S., see Cheron, G. (80) 522
- Brandt, M.E., Jansen, B.H. and Carbonari, J.P.
 Pre-stimulus spectral EEG patterns and the visual evoked response (80) 16
- Brandt, M.E., see Jansen, B.H. (80) 241
- Brannan, J.R., see Ghilardi, M.F. (80) 1
- Bromm, B., Frieling, A. and Lankers, J.
 Laser-evoked brain potentials in patients with dissociated loss of pain and temperature sensibility (80) 284
- Buccafusco, J.J., see Ray, P.G. (80) 347
- Buchwald, J.S., Rubinstein, E.H., Schwafel, J. and Strandburg, R.J.
 Midlatency auditory evoked responses: differential effects of a cholinergic agonist and antagonist (80) 303
- Buchwald, J.S., see Erwin, R. (80) 561
- Carbonari, J.P., see Brandt, M.E. (80) 16
- Cardona, F., Leuzzi, V., Antonozzi, I., Benedetti, P. and Loizzo, A.
 The development of auditory and visual evoked potentials in early treated phenylketonuric children (80) 8
- Casartelli Liviero, M., see Facco, E. (80) 469
- Ceslia, G.G., see Tomoda, H. (80) 81
- Cheron, G. and Borenstein, S.
 Gating of the early components of the frontal and parietal somatosensory evoked potentials in different sensory-motor interference modalities (80) 522
- Chino, N., see Okajima, Y. (80) 26
- Chino, N., see Okajima, Y. (80) 531
- Clelland, C.S., see Joseph, J. (80) 46
- Cole, J.D. and Katifi, H.A.
 Evoked potentials in a man with a complete large myelinated fibre sensory neuropathy below the neck (80) 103
- Cone Toleikis, S., see Tomoda, H. (80) 81
- Coutin, P., see Machado, C. (80) 392
- Creason, J.P., see Janssen, R. (80) 412
- D'Alessio, C., see Stanzione, P. (80) 446
- Desmedt, J.E. and Ozaki, I.
 SEPs to finger joint input lack the N20-P20 response that is evoked by tactile inputs: contrast between cortical generators in areas 3b and 2 in humans (80) 513
- Desmedt, J.E., see Tomberg, C. (80) 496
- Desmedt, J.E., see Tomberg, C. (80) 504
- Deuschl, G., Ebner, A., Hammers, R. and Lücking, C.H.
 Differences of cortical activation in spontaneous and reflex myoclonias (80) 326
- Dobie, R.A. and Wilson, M.J.
 Optimal smoothing of coherence estimates (80) 194
- Dolenc, V.V., see Prestor, B. (80) 155
- Donà, B., see Facco, E. (80) 469
- Donnan, G.A., see Macdonell, R.A.L. (80) 276
- Durrant, J.D., Gerich, J.E., Mitrakou, A., Jenssen, T. and Hyre, R.J.
 Changes in BAEP under hypoglycemia: temperature-related? (80) 547
- Dyer, R.S., see Janssen, R. (80) 412
- Ebner, A., see Deuschl, G. (80) 326
- Eisenberg, H.M., see Baumann, S.B. (80) 53
- Elidan, J., Leibner, E., Freeman, S., Sela, M., Nitzan, M. and Sohmer, H.
 Short and middle latency vestibular evoked responses to acceleration in man (80) 140
- Erwin, R., Van Lancker, D., Guthrie, D., Schwafel, J., Tanguay, P. and Buchwald, J.S.
 P3 responses to prosodic stimuli in adult autistic subjects (80) 561
- Facco, E., Baratto, F., Munari, M., Donà, B., Casartelli Liviero, M., Behr, A.U. and Giron, G.P.
 Sensorimotor central conduction time in comatose patients (80) 469
- Fattapposta, F., see Stanzione, P. (80) 446
- Feinsod, M., see Soustiel, J.F. (80) 119
- Feng, L.Y., see Jiang, Z.D. (80) 60
- Foust, R., see Towle, V.L. (80) 339
- Freeman, S., see Elidan, J. (80) 140
- Frieling, A., see Bromm, B. (80) 284
- Fujii, K., see Morioka, T. (80) 221
- Fukui, M., see Morioka, T. (80) 215
- Fukui, M., see Morioka, T. (80) 221
- Fulgente, T., see Onofri, M. (80) 167

- García, O., see Machado, C. (80) 392
- García-Larrea, L., Bastuji, H. and Mauguière, F.
Mapping study of somatosensory evoked potentials during selective spatial attention (80) 201
- García-Tigera, J., see Machado, C. (80) 392
- Genba, K., see Sonoo, M. (80) 238
- Genba, K., see Sonoo, M. (80) 536
- Genba, K., see Ugawa, Y. (80) 21
- George, S.R. and Taylor, M.J.
Somatosensory evoked potentials in neonates and infants: developmental and normative data (80) 94
- Gerich, J.E., see Durrant, J.D. (80) 547
- Gerken, G.M.
Evoked potentials recorded from brain-stem nuclei in awake cat: interaction of tone bursts and continuous tone (80) 73
- Ghilardi, M.F., Sartucci, F., Brannan, J.R., Onofri, M.C., Bodis-Wollner, I., Mylin, L. and Stroch, R.
N70 and P100 can be independently affected in multiple sclerosis (80) 1
- Ghilardi, M.F., see Glover, A. (80) 65
- Giron, G.P., see Facco, E. (80) 469
- Giunti, P., see Stanzione, P. (80) 446
- Glover, A., Ghilardi, M.F., Onofri, M. and Bodis-Wollner, I.
Visual 'cognitive' evoked potentials in the behaving monkey (80) 65
- Guérit, J.M. and Opsomer, R.J.
Bit-mapped imaging of somatosensory evoked potentials after stimulation of the posterior tibial nerves and dorsal nerve of the penis/clitoris (80) 228
- Guinto, F.C., see Baumann, S.B. (80) 53
- Guthrie, D., see Erwin, R. (80) 561
- Hafner, H., see Soustiel, J.F. (80) 119
- Halliday, A.M., see Jones, S.J. (80) 147
- Hallström, Y.T., Lindblom, U. and Meyerson, B.A.
Distribution of lumbar spinal evoked potentials and their correlation with stimulation-induced paresthesiae (80) 126
- Hammers, R., see Deuschl, G. (80) 326
- Hanley, D.F., see Thakor, N.V. (80) 108
- Hari, R., see Karhu, J. (80) 459
- Hetzler, B.E., see Janssen, R. (80) 412
- Howland, E.W., see Joseph, J. (80) 46
- Hyre, R.J., see Durrant, J.D. (80) 547
- Ingrand, P., see Paquereau, J. (80) 298
- Jansen, B.H. and Brandt, M.E.
The effect of the phase of prestimulus alpha activity on the averaged visual evoked response (80) 241
- Jansen, B.H., see Brandt, M.E. (80) 16
- Janssen, R., Hetzler, B.E., Creason, J.P. and Dyer, R.S.
Differential impact of hypothermia and pentobarbital on brain-stem auditory evoked responses (80) 412
- Jeanmonod, D., Sindou, M. and Mauguière, F.
The human cervical and lumbo-sacral evoked electrospinogram. Data from intra-operative spinal cord surface recordings (80) 477
- Jenssen, T., see Durrant, J.D. (80) 547
- Jiang, Z.D., Wu, Y.Y., Zheng, W.S., Sun, D.K., Feng, L.Y. and Liu, X.Y.
The effect of click rate on latency and interpeak interval of the brain-stem auditory evoked potentials in children from birth to 6 years (80) 60
- Jones, S.J., Pitman, J.R. and Halliday, A.M.
Scalp potentials following sudden coherence and dis coherence of binaural noise and change in the inter-aural time difference: a specific binaural evoked potential or a "mismatch" response? (80) 147
- Jones, S.J.
Memory-dependent auditory evoked potentials to change in the binaural interaction of noise signals (80) 399
- Joseph, J., Howland, E.W., Wakai, R., Backonja, M., Baffa, O., Potenti, F.M. and Cleeland, C.S.
Late pain-related magnetic fields and electric potentials evoked by intracutaneous electric finger stimulation (80) 46
- Kakigi, R. and Shibasaki, H.
Estimation of conduction velocity of the spino-thalamic tract in man (80) 39
- Kakigi, R. and Shibasaki, H.
Middle-latency somatosensory evoked potentials following median and posterior tibial nerve stimulation in Down's syndrome (80) 364
- Kameyama, S., see Yamada, T. (80) 251
- Karhu, J., Hari, R., Lu, S.-T., Paetau, R. and Rif, J.
Cerebral magnetic fields to lingual stimulation (80) 459
- Katifi, H.A., see Cole, J.D. (80) 103
- Kato, M., see Kurita-Tashima, S. (80) 161
- Kato, M., see Morioka, T. (80) 215
- Kato, M., see Morioka, T. (80) 221
- Kato, M., see Tobimatsu, S. (80) 89
- Kimura, A., see Okajima, Y. (80) 26
- Kimura, A., see Okajima, Y. (80) 531
- Kimura, J., see Yamada, T. (80) 251
- Kovala, T., Tolonen, U. and Pyhtinen, J.
A prospective 1 year follow-up study with somatosensory potentials evoked by stimulation of the posterior tibial nerve in patients with supratentorial cerebral infarction (80) 262
- Krieger, J., see Rumbach, L. (80) 454
- Kuriki, S. and Takeuchi, F.
Neuromagnetic responses elicited by auditory stimuli in dichotic listening (80) 406
- Kurita-Tashima, S., Tobimatsu, S., Nakayama-Hiromatsu, M. and Kato, M.
Effect of check size on the pattern reversal visual evoked potential (80) 161
- Kurtz, D., see Rumbach, L. (80) 454
- Lamarche, M., see Abbes, S. (80) 310
- Lankers, J., see Bromm, B. (80) 284
- Leibner, E., see Elidan, J. (80) 140
- Leuzzi, V., see Cardona, F. (80) 8
- Lindblom, U., see Hallström, Y.T. (80) 126
- Liu, X.Y., see Jiang, Z.D. (80) 60
- Loening-Baucke, V., Read, N.W. and Yamada, T.
Cerebral evoked potentials after rectal stimulation (80) 490
- Loizzo, A., see Cardona, F. (80) 8
- Loring, D.W., see Ray, P.G. (80) 347
- Louvel, J., see Abbes, S. (80) 310
- Lu, S.-T., see Karhu, J. (80) 459
- Lücking, C.H., see Deuschl, G. (80) 326
- Macdonell, R.A.L., Donnan, G.A. and Bladin, P.F.
Serial changes in somatosensory evoked potentials following cerebral infarction (80) 276
- Machado, C., Valdés, P., García-Tigera, J., Virues, T., Biscay, R., Miranda, J., Coutin, P., Román, J. and García, O.
Brain-stem auditory evoked potentials and brain death (80) 392
- Malatesta, G., see Onofri, M. (80) 167
- Mannen, T., see Sonoo, M. (80) 238
- Mannen, T., see Sonoo, M. (80) 536
- Mannen, T., see Ugawa, Y. (80) 21
- Marillaud, A., see Paquereau, J. (80) 298
- Matsubara, T., see Morioka, T. (80) 221
- Matsuoka, H., see Yamada, T. (80) 251

- Mauguière, F., see García-Larrea, L. (80) 201
Mauguière, F., see Jeanmonod, D. (80) 477
McPherson, R.W., see Thakor, N.V. (80) 108
Meador, K.J., see Ray, P.G. (80) 347
Meyerson, B.A., see Hallström, Y.T. (80) 126
Miranda, J., see Machado, C. (80) 392
Mitrakou, A., see Durrant, J.D. (80) 547
Møller, A.R., see Sen, C.N. (80) 378
Morioka, T., Shima, F., Kato, M. and Fukui, M.
Direct recording of somatosensory evoked potentials in the vicinity of the dorsal column nuclei in man: their generator mechanisms and contribution to the scalp far-field potentials (80) 215
Morioka, T., Tobimatsu, S., Fujii, K., Fukui, M., Kato, M. and Matsubara, T.
Origin and distribution of brain-stem somatosensory evoked potentials in humans (80) 221
Muhailan, A., see Panjwani, G.D. (80) 384
Munari, M., see Facco, E. (80) 469
Munson, R., see Towle, V.L. (80) 329
Murai, Y., see Tsuji, S. (80) 32
Murro, A.M., see Ray, P.G. (80) 347
Mustafa, M.K.Y., see Panjwani, G.D. (80) 384
Mylin, L., see Ghilardi, M.F. (80) 1
- Nader, S.H., see Towle, V.L. (80) 329
Nader, S.H., see Towle, V.L. (80) 339
Nakano, I., see Sonoo, M. (80) 536
Nakayama-Hiromatsu, M., see Kurita-Tashima, S. (80) 161
Nakayama-Hiromatsu, M., see Tobimatsu, S. (80) 89
Nitzan, M., see Elidan, J. (80) 140
Noël, P., see Tomberg, C. (80) 496
- Ohira, T., see Towle, V.L. (80) 329
Okajima, Y., Chino, N., Saitoh, E. and Kimura, A.
Interactions of somatosensory evoked potentials: simultaneous stimulation of two nerves (80) 26
Okajima, Y., Chino, N., Saitoh, E. and Kimura, A.
Recovery functions of somatosensory vertex potentials in man: interaction of evoked responses from right and left fingers (80) 531
Onofri, M., Bazzano, S., Malatesta, G. and Fulgente, T.
Mapped distribution of pattern reversal VEPs to central field and lateral half-field stimuli of different spatial frequencies (80) 167
Onofri, M., see Glover, A. (80) 65
Onofri, M.C., see Ghilardi, M.F. (80) 1
Opsomer, R.J., see Guérit, J.M. (80) 228
Ossenblok, P. and Spekreijse, H.
The extrastriate generators of the EP to checkerboard onset. A source localization approach (80) 181
Owunwanne, A., see Panjwani, G.D. (80) 384
Ozaki, I., see Desmedt, J.E. (80) 513
Ozaki, I., see Tomberg, C. (80) 496
Ozaki, I., see Tomberg, C. (80) 504
- Paetau, R., see Karhu, J. (80) 459
Panjwani, G.D., Mustafa, M.K.Y., Muhailan, A., Aneja, I.S. and Owunwanne, A.
Effect of hyperthermia on somatosensory evoked potentials in the anaesthetized rat (80) 384
Papanicolaou, A.C., see Baumann, S.B. (80) 53
Paquereau, J., Ingrand, P. and Marillaud, A.
Wave III of brain-stem auditory evoked potentials analysed both with 3-channel Lissajous' trajectory and dipole localization method (80) 298
Pitman, J.R., see Jones, S.J. (80) 147
Potenti, F.M., see Joseph, J. (80) 46
- Pratt, H., Bleich, N., Zaaroor, M. and Starr, A.
The effects of digital filtering on feline auditory brain-stem evoked potentials (80) 572
Prestor, B., Žgur, T. and Dolenc, V.V.
Subpially recorded cervical spinal cord evoked potentials in syringomyelia (80) 155
Pumain, R., see Abbes, S. (80) 310
Pyhtinen, J., see Kovala, T. (80) 262
- Ray, P.G., Meador, K.J., Loring, D.W., Murro, A.M., Buccafusco, J.J., Yang, X.H., Zamrini, E.Y., Thompson, W.O. and Thompson, E.E.
Effects of scopolamine on visual evoked potentials in aging and dementia (80) 347
Read, N.W., see Loening-Baucke, V. (80) 490
Reder, A.T., see Towle, V.L. (80) 339
Rif, J., see Karhu, J. (80) 459
Rodnitzky, R.L., see Yamada, T. (80) 251
Rogers, R.L., see Baumann, S.B. (80) 53
Román, J., see Machado, C. (80) 392
Rossini, P.M., see Zarola, F. (80) 372
Rubinstein, E.H., see Buchwald, J.S. (80) 303
Rumbach, L., Krieger, J. and Kurtz, D.
Auditory event-related potentials in obstructive sleep apnea: effects of treatment with nasal continuous positive airway pressure (80) 454
- Saitoh, E., see Okajima, Y. (80) 26
Saitoh, E., see Okajima, Y. (80) 531
Sakuta, M., see Sonoo, M. (80) 238
Sand, T.
Clinical correlates of brain-stem auditory evoked potential variables in multiple sclerosis. Relation to click polarity (80) 292
Sartucci, F., see Ghilardi, M.F. (80) 1
Saydjari, C.L., see Baumann, S.B. (80) 53
Schwafel, J., see Buchwald, J.S. (80) 303
Schwafel, J., see Erwin, R. (80) 561
Sela, M., see Elidan, J. (80) 140
Sen, C.N. and Møller, A.R.
Comparison of somatosensory evoked potentials recorded from the scalp and dorsal column nuclei to upper and lower limb stimulation in the rat (80) 378
Shibasaki, H., see Kakigi, R. (80) 39
Shibasaki, H., see Kakigi, R. (80) 364
Shima, F., see Morioka, T. (80) 215
Shimpo, T., see Sonoo, M. (80) 238
Shimpo, T., see Sonoo, M. (80) 536
Shimpo, T., see Ugawa, Y. (80) 21
Sindou, M., see Jeanmonod, D. (80) 477
Snyder, A.Z.
Dipole source localization in the study of EP generators: a critique (80) 321
Sohmer, H., see Elidan, J. (80) 140
Sonoo, M., Sakuta, M., Shimpo, T., Genba, K. and Mannen, T.
Widespread N18 in median nerve SEP is preserved in a pontine lesion (80) 238
Sonoo, M., Shimpo, T., Takeda, K., Genba, K., Nakano, I. and Mannen, T.
SEPs in two patients with localized lesions of the postcentral gyrus (80) 536
Soustiel, J.F., Feinsod, M. and Hafner, H.
Short latency trigeminal evoked potentials: normative data and clinical correlations (80) 119
Spekreijse, H., see Ossenblok, P. (80) 181
Spire, J.-P., see Towle, V.L. (80) 329
Spire, J.-P., see Towle, V.L. (80) 339
Spire, J.-P., see Witt, J.C. (80) 551

- Stanzione, P., Fattapposta, F., Giunti, P., D'Alessio, C., Tagliati, M., Affricano, C. and Amabile, G.
P300 variations in parkinsonian patients before and during dopaminergic monotherapy: a suggested dopamine component in P300 (80) 446
- Starr, A., see Pratt, H. (80) 572
- Starr, A., see Zaaroor, M. (80) 422
- Starr, A., see Zaaroor, M. (80) 436
- Strandburg, R.J., see Buchwald, J.S. (80) 303
- Stroch, R., see Ghilardi, M.F. (80) 1
- Sun, D.K., see Jiang, Z.D. (80) 60
- Tagliati, M., see Stanzione, P. (80) 446
- Takeda, K., see Sonoo, M. (80) 536
- Takeuchi, F., see Kuriki, S. (80) 406
- Tanguay, P., see Erwin, R. (80) 561
- Tashima-Kurita, S., see Tobimatsu, S. (80) 89
- Taylor, M.J., see George, S.R. (80) 94
- Thakor, N.V., Vaz, C.A., McPherson, R.W. and Hanley, D.F.
Adaptive Fourier series modeling of time-varying evoked potentials: study of human somatosensory evoked response to etomidate anesthetic (80) 108
- Thompson, E.E., see Ray, P.G. (80) 347
- Thompson, W.O., see Ray, P.G. (80) 347
- Tobimatsu, S., Tashima-Kurita, S., Nakayama-Hiromatsu, M. and Kato, M.
Clinical relevance of phase of steady-state VEPs to P100 latency of transient VEPs (80) 89
- Tobimatsu, S., see Kurita-Tashima, S. (80) 161
- Tobimatsu, S., see Morioka, T. (80) 221
- Tolonen, U., see Kovala, T. (80) 262
- Tomberg, C., Desmedt, J.E. and Ozaki, I.
Right or left ear reference changes the voltage of frontal and parietal somatosensory evoked potentials (80) 504
- Tomberg, C., Desmedt, J.E., Ozaki, I. and Noël, P.
Nasopharyngeal recordings of somatosensory evoked potentials document the medullary origin of the N18 far-field (80) 496
- Tomoda, H., Celesia, G.G. and Cone Toleikis, S.
Effect of spatial frequency on simultaneous recorded steady-state pattern electroretinograms and visual evoked potentials (80) 81
- Towle, V.L., Witt, J.C., Nader, S.H., Reder, A.T., Foust, R. and Spire, J.-P.
Three-dimensional human pattern visual evoked potentials. II. Multiple sclerosis patients (80) 339
- Towle, V.L., Witt, J.C., Ohira, T., Munson, R., Nader, S.H. and Spire, J.-P.
Three-dimensional human pattern visual evoked potentials. I. Normal subjects (80) 329
- Towle, V.L., see Witt, J.C. (80) 551
- Tsuji, S. and Murai, Y.
Cortical somatosensory potentials evoked by magnetic stimulation: effect of body height, age, and stimulus intensity (80) 32
- Ugawa, Y., Genba, K., Shimpo, T. and Mannen, T.
Somatosensory evoked potential recovery (SEP-R) in myoclonic patients (80) 21
- Valdés, P., see Machado, C. (80) 392
- Van Lancker, D., see Erwin, R. (80) 561
- Vaz, C.A., see Thakor, N.V. (80) 108
- Virues, T., see Machado, C. (80) 392
- Wagner, W.
SEP testing in deeply comatose and brain dead patients: the role of nasopharyngeal, scalp and earlobe derivations in recording the P14 potential (80) 352
- Wakai, R., see Joseph, J. (80) 46
- Wilson, M.J., see Dobie, R.A. (80) 194
- Witt, J.C., Towle, V.L., Bolaños, J. and Spire, J.-P.
Tetrahedral recording of 3-D BAEPs: evidence for the centered dipole model (80) 551
- Witt, J.C., see Towle, V.L. (80) 329
- Witt, J.C., see Towle, V.L. (80) 339
- Wu, Y.Y., see Jiang, Z.D. (80) 60
- Yamada, T., Rodnitzky, R.L., Kameyama, S., Matsuoka, H. and Kimura, J.
Alteration of SEP topography in Huntington's patients and their relatives at risk (80) 251
- Yamada, T., see Loening-Baucke, V. (80) 490
- Yang, X.H., see Ray, P.G. (80) 347
- Zaaroor, M. and Starr, A.
Auditory brain-stem evoked potentials in cat after kainic acid induced neuronal loss. I. Superior olivary complex (80) 422
- Zaaroor, M. and Starr, A.
Auditory brain-stem evoked potentials in cat after kainic acid induced neuronal loss. II. Cochlear nucleus (80) 436
- Zaaroor, M., see Pratt, H. (80) 572
- Zamrini, E.Y., see Ray, P.G. (80) 347
- Zarola, F. and Rossini, P.M.
Nerve, spinal cord and brain somatosensory evoked responses: a comparative study during electrical and magnetic peripheral nerve stimulation (80) 372
- Žgur, T., see Prestor, B. (80) 155
- Zheng, W.S., see Jiang, Z.D. (80) 60

Index of Subjects

VOLUME 80 (EP), 1991

(Abstracts from Society Proceedings are not included)

Acceleration

- short latency vestibular ER in man, 140

Action potentials

- EPs to magnetic nerve stimulation, 372

Active movement

- pre- and postcentral SEPs in interfering conditions, 522

Age

- estimation of spinal conduction velocity, 39
- SEPs by magnetic stimulation, 32
- scopolamine and VEPs in aging and dementia, 347

Alpha phase VEP relationships, 241

Alzheimer's disease, scopolamine and VEPs, 347

Anesthesia

- BAEPs affected by hypothermia and pentobarbital, 412

Anoxia

- sensorimotor central conduction time, and coma, 469

Anterolateral tract

- laser SEP in dissociated sensory loss, 284

Antidromic conduction

- lumbar spinal SEPs and paresthesiae, 126

Apnea syndrome

- ERPs in obstructive sleep apnea, 454

Asymmetry

- influence of ear reference on SEP voltage, 504

Attention

- SEP maps and selective spatial attention, 201

Auditory evoked fields

- gender differences in magnetic N100 localization, 53
- magnetic responses to dichotic stimulation, 406

Auditory evoked potentials

- binaural interaction EPs, 146
- cholinergic effects on human midlatency AEPs, 303
- interaction effects in cat auditory EPs, 73
- memory-dependent AEPs to binaural interaction, 399
- optimal coherence smoothing, 194

Autism

- prosodic stimuli in adult subjects, 561

Averaging

- alpha phase VEP relationships, 241

BAEPs, see Brain-stem auditory evoked potentials

Binaural interaction

- binaural interaction EPs, 146
- memory-dependent AEPs to binaural interaction, 399

Body height

- SEPs by magnetic stimulation, 32

Book reviews, 80

Brain death

- and BAEPs, 392
- nasopharyngeal P14, 352

Brain development

- EPs in phenylketonuric children, 8

Brain slices

- EPs in slices of rat sensorimotor cortex, 310

Brain-stem

- BAEPs after kainic acid lesion, 422, 436
- cochlear nucleus lesion and BAEPs, 436
- interaction effects in cat auditory EPs, 73
- medullary origin of the N18 far-field SEP, 496
- N18 SEP in a pontine lesion, 238
- origin and distribution of brain-stem SEPs, 221
- short latency trigeminal EPs, 119
- superior olive lesion and BAEPs, 422

Brain-stem auditory evoked potentials

- after kainic acid lesion of cochlear nucleus, 436
- after kainic acid lesion of superior olive, 422
- and brain death, 392
- clinical correlates of BAEP variables in MS, 292
- digital filtering of feline BAEPs, 572
- effect of click rate in children, 60
- effects of hypothermia and pentobarbital, 412
- hypoglycemia, temperature and BAEP changes, 547
- in phenylketonuric children, 8
- tetrahedral recording of 3D-BAEPs, 551
- 3-CLT analysis and dipole localization in wave III, 298

Cat

- BAEPs after kainic acid lesion of cochlear nucleus, 436
- BAEPs after kainic acid lesion of superior olive, 422
- digital filtering of feline BAEPs, 572
- interaction effects in cat auditory EPs, 73

Cerebral blood flow

- rat SEPs and hyperthermia, 384

Cerebral infarction

- and SEPs, 276
- tibial nerve SEPs, 262

Cerebral lesions, see Lesions

Cervical

- and lumbo-sacral evoked electrospinogram, 477
- intraoperative spinal EPs in syringomyelia, 155
- SEPs of dorsal column nuclei, 215

Children, see Infants

Cholinergic drugs

- effects on human midlatency AEPs, 303
- scopolamine and VEPs in aging and dementia, 347

Click stimulus

- clinical correlates of BAEP variables in MS, 292
- effect of click rate on BAEPs in children, 60

Clinical correlates of BAEP variables in MS, 292

CO₂ laser

- estimation of spinal conduction velocity, 39
- laser SEP in dissociated sensory loss, 284

Cochlear nucleus

- BAEPs after kainic acid lesion of cochlear nucleus, 436
- interaction effects in cat auditory EPs, 73

Cognitive P300 in the monkey, 65

Coherence smoothing, 194

Colliculus

- interaction effects in cat auditory EPs, 73

Coma

- nasopharyngeal P14, 352
- sensorimotor central conduction time, 469

Computed EEG topography, *see* Topographic mapping

Conduction

- estimation of spinal conduction velocity, 39
- sensorimotor central conduction time, and coma, 469

Correlations

- alpha phase VEP relationships, 241

Cortical activation

- spontaneous and reflex myoclonias, 326

Cuneate nucleus

- medullary origin of the N18 far-field SEP, 496
- N18 SEP in a pontine lesion, 238
- origin and distribution of brain-stem SEPs, 221
- SEPs of dorsal column nuclei, 215

Current dipole or source, *see* Generators

Cutaneous nerve terminal

- laser SEP in dissociated sensory loss, 284

Dementia, scopolamine and VEPs, 347

Depth recording

- interaction effects in cat auditory EPs, 73

Development

- effect of click rate on BAEPs in children, 60
- SEPs in neonates and infants, 94

Diabetes

- hypoglycemia, temperature and BAEP changes, 547

Diagnostic value

- BAEPs and brain death, 392

Dichotic stimulation

- magnetic responses, 406

Digital filtering of feline BAEPs, 572

Dipole

- cervical and lumbo-sacral evoked electrospinogram, 477
- 3-CLT analysis and dipole localization in BAEP wave III, 298
- dipole source localization in EP generators, 321
- extrastriate generators of pattern onset EP, 181
- tetrahedral recording of 3D-BAEPs, 551

Dopamine component of P300 in Parkinson's disease, 446

Dorsal column

- laser SEP in dissociated sensory loss, 284
- rat SEPs from scalp and dorsal column nuclei, 378
- SEPs of dorsal column nuclei, 215

Dorsal root

- cervical and lumbo-sacral evoked electrospinogram, 477

Down's syndrome

- midlatency SEPs, 364

Earlobe reference

- influence on SEP voltage, 504

Early components, *see* Short latency components

Earmolds

- interaction effects in cat auditory EPs, 73

EEG/VEP relationships, 16

Electrical stimulation

- A δ SEPs from electrical stimulation, 103
- EPs to magnetic nerve stimulation, 372

Electroretinogram

- steady-state pattern ERGs and VEPs, 81

Epidural recording

- lumbar spinal SEPs and paresthesiae, 126

Epilepsy

- SEP recovery in myoclonic patients, 21
- spontaneous and reflex myoclonias, 326

Etomidate

- adaptative Fourier series modeling of EPs, 108

Event-related potentials

- dopamine component of P300 in Parkinson's disease, 446
- in obstructive sleep apnea, 454
- prosodic stimuli in adult autistic subjects, 561
- visual cognitive P300 in the monkey, 65

Evoked fields

- pain-related magnetic fields and electrical potentials, 46

Evoked potentials

- adaptative Fourier series modeling of EPs, 108
- auditory, *see* Auditory evoked potentials
- BAEPs, *see* Brain-stem auditory evoked potentials
- cerebral EPs to rectal stimulation, 490
- cerebral magnetic field to lingual stimulation, 459
- dipole source localization in EP generators, 321
- in slices of rat sensorimotor cortex, 310
- pain-related magnetic fields and electrical potentials, 46
- short latency vestibular ER in man, 140
- somatosensory, *see* Somatosensory evoked potentials
- tetrahedral recording of 3D-BAEPs, 551
- to pattern, *see* Pattern
- visual, *see* Visual evoked potentials
- 3D pattern VEPs, 329

Experimental models, *see* Models

Extrastriate generators of pattern onset EP, 181

Far-field potentials

- cervical and lumbo-sacral evoked electrospinogram, 477
- medullary origin of the N18 far-field SEP, 496
- SEPs of dorsal column nuclei, 215
- 3-CLT analysis and dipole localization in BAEP wave III, 298

Females

- cerebral EPs to rectal stimulation, 490

Field potentials

- EPs in slices of rat sensorimotor cortex, 310

Finger

- recovery functions of somatosensory vertex potentials, 531
- SEPs to finger joint or cutaneous inputs, 513

Follow-up

- tibial nerve SEPs in cerebral infarction, 262

Fourier analysis

- adaptative Fourier series modeling of EPs, 108

Frontal operculum

- pain-related magnetic fields and electrical potentials, 46

Generators

- BAEPs after lesion of cochlear nucleus, 436
- BAEPs after lesion of superior olive, 422
- dipole source localization in EP generators, 321
- extrastriate generators of pattern onset EP, 181
- gender differences in magnetic N100 localization, 53
- origin and distribution of brain-stem SEPs, 221
- SEPs of dorsal column nuclei, 215

Go and no-go task

- visual cognitive P300 in the monkey, 65

Harmonic response

- steady-state pattern ERGs and VEPs, 81

Head injury

- sensorimotor central conduction time, and coma, 469

Hemifield stimulation

- extrastriate generators of pattern onset EP, 181
- Huntington's disease and SEPs, 251
- Hyperthermia and rat SEPs, 384
- Hypoglycemia, temperature and BAEP changes, 547
- Hypothermia and pentobarbital effects on BAEPs, 412

Infants

- effect of click rate on BAEPs in children, 60
- EPs in phenylketonuric children, 8
- SEPs in neonates and infants, 94

Inter-aural

- binaural interaction EPs, 146
- memory-dependent AEPs to binaural interaction, 399

Intracutaneous electric stimulation

- pain-related magnetic fields and electrical potentials, 46

Intraoperative monitoring

- cervical and lumbo-sacral evoked electrospinogram, 477
- spinal EPs in syringomyelia, 155

In vitro study

- EPs in slices of rat sensorimotor cortex, 310

Ischemia

- SEPs after cerebral infarction, 276
- tibial nerve SEPs in cerebral infarction, 262

Joint receptors

- SEPs to finger joint or cutaneous inputs, 513

Kainic acid

- BAEPs after lesion of cochlear nucleus, 436
- BAEPs after lesion of superior olive, 422

Killed end potential

- origin and distribution of brain-stem SEPs, 221

Labyrinth

- short latency vestibular ER in man, 140

Laminar analysis

- EPs in slices of rat sensorimotor cortex, 310

Language

- prosodic stimuli in adult autistic subjects, 561

Lesions

- BAEPs after lesion of cochlear nucleus, 436
- BAEPs after lesion of superior olive, 422
- N18 SEP in a pontine lesion, 238
- SEPs and localized lesions of the postcentral gyrus, 536

Lissajous' trajectories

- tetrahedral recording of 3D-BAEPs, 551
- 3-CLT analysis and dipole localization in BAEP wave III, 298
- 3D pattern VEPs, 329

- 3D pattern VEPs and multiple sclerosis, 339

Long latency components

- laser SEP in dissociated sensory loss, 284

Lumbar cord

- evoked electrospinogram, 477
- spinal SEPs and paresthesiae, 126

Magnetic field

- cerebral field to lingual stimulation, 459
- responses to dichotic stimulation, 406

Magnetic stimulation

- EPs to magnetic nerve stimulation, 372
- sensorimotor central conduction time, and coma, 469
- SEPs by magnetic stimulation, 32

Magnetoencephalogram

- gender differences in magnetic N100 localization, 53
- pain-related fields and electrical potentials, 46

Mapping, see Topographic mapping

Maturation

- SEPs in neonates and infants, 94

Mechanical stimulation

- lumbar spinal SEPs and paresthesiae, 126

Medial lemniscus

- N18 SEP in a pontine lesion, 238
- origin and distribution of brain-stem SEPs, 221

Median nerve

- influence of ear reference on SEP voltage, 504
- interactions of SEPs, 26
- intraoperative spinal EPs in syringomyelia, 155
- midlatency SEPs in Down's syndrome, 364
- nasopharyngeal P14 in coma and brain death, 352
- N18 SEP in a pontine lesion, 238
- origin and distribution of brain-stem SEPs, 221
- pre- and postcentral SEPs in interfering conditions, 522
- rat SEPs from scalp and dorsal column nuclei, 378
- sensorimotor central conduction time, and coma, 469
- SEP recovery in myoclonic patients, 21
- SEPs after cerebral infarction, 276
- SEPs and localized lesions of the postcentral gyrus, 536
- SEPs in Huntington's disease, 251
- SEPs in neonates and infants, 94
- SEPs of dorsal column nuclei, 215
- spontaneous and reflex myoclonias, 326

Medullary origin of the N18 far-field SEP, 496

Metabolic disorders

- EPs in phenylketonuric children, 8

Midbrain

- origin and distribution of brain-stem SEPs, 221

Midlatency responses

- cholinergic effects on human AEPs, 303
- SEPs in Down's syndrome, 364

Mismatch negativity

- binaural interaction EPs, 146
- memory-dependent AEPs to binaural interaction, 399

Model

- dipole source localization in EP generators, 321
- optimal coherence smoothing, 194
- tetrahedral recording of 3D-BAEPs, 551
- 3-CLT analysis and dipole localization in BAEP wave III, 298

Monkey

- visual cognitive P300, 65

Motor cortex

- SEPs and localized lesions of the postcentral gyrus, 536

Motor evoked potentials

- sensorimotor central conduction time, and coma, 469

Movement

- pre- and postcentral SEPs in interfering conditions, 522

Multiple regression analysis

- EEG/VEP relationships, 16

Multiple sclerosis

- clinical correlates of BAEP variables, 292
- N70 and P100, 1
- steady-state VEP phase, 89
- 3D pattern VEPs, 339

Myoclonus

- SEP recovery in myoclonic patients, 21
- spontaneous and reflex myoclonias, 326

Naloxone treatment

- rat SEPs and hyperthermia, 384

Nasopharyngeal derivation

- medullary origin of the N18 far-field SEP, 496
- P14 in coma and brain death, 352

Neonates

- SEPs in neonates and infants, 94

Nerve

- EPs to magnetic nerve stimulation, 372
- *see also* Conduction time

Neuronal loss

- BAEPs after lesion of cochlear nucleus, 436
- BAEPs after lesion of superior olive, 422

Neuropathy

- A δ SEPs from electrical stimulation, 103
- lumbar spinal SEPs and paresthesiae, 126

Newborns, *see* Neonates

Non-cephalic reference

- medullary origin of the N18 far-field SEP, 496

Normal human subjects

- alpha phase VEP relationships, 241
 - binaural interaction EPs, 146
 - cerebral EPs to rectal stimulation, 490
 - cerebral magnetic field to lingual stimulation, 459
 - cholinergic effects on human midlatency AEPs, 303
 - EEG/VEP relationships, 16
 - effect of check size on pattern reversal VEPs, 161
 - effect of click rate on BAEPs in children, 60
 - EPs to magnetic nerve stimulation, 372
 - estimation of spinal conduction velocity, 39
 - extrastriate generators of pattern onset EP, 181
 - gender differences in magnetic N100 localization, 53
 - hypoglycemia, temperature and BAEP changes, 547
 - influence of ear reference on SEP voltage, 504
 - interactions of SEPs, 26
 - magnetic responses to dichotic stimulation, 406
 - memory-dependent AEPs to binaural interaction, 399
 - optimal coherence smoothing, 194
 - pain-related magnetic fields and electrical potentials, 46
 - pre- and postcentral SEPs in interfering conditions, 522
 - pudendal and tibial nerve multichannel SEPs, 228
 - recovery functions of somatosensory vertex potentials, 531
 - SEP maps and selective spatial attention, 201
 - SEPs by magnetic stimulation, 32
 - SEPs in neonates and infants, 94
 - SEPs to finger joint or cutaneous inputs, 513
 - short latency trigeminal EPs, 119
 - short latency vestibular ER in man, 140
 - steady-state pattern ERGs and VEPs, 81
 - steady-state VEP phase, 89
 - tetrahedral recording of 3D-BAEPs, 551
 - VEP maps to 1, 2, 4 c/deg patterned stimuli, 167
 - 3-CLT analysis and dipole localization in BAEP wave III, 298
 - 3D pattern VEPs, 329
- N100
- gender differences in magnetic N100 localization, 53
- N18
- medullary origin of the N18 far-field SEP, 496
 - N18 SEP in a pontine lesion, 238
- N70
- N70 and P100 in multiple sclerosis, 1
- N75
- effect of check size on pattern reversal VEPs, 161

Occipital cortex

- extrastriate generators of pattern onset EP, 181

Olivocochlear complex

- BAEPs after kainic acid lesion of cochlear nucleus, 436
- BAEPs after kainic acid lesion of superior olive, 422

Optic neuropathy

- steady-state VEP phase, 89
- 3D pattern VEPs and multiple sclerosis, 339

Outcome

- sensorimotor central conduction time, and coma, 469

Pain

- laser SEP in dissociated sensory loss, 284
- lumbar spinal SEPs and paresthesiae, 126
- pain-related magnetic fields and electrical potentials, 46

Paired stimulation

- SEP recovery in myoclonic patients, 21

Paresthesia

- lumbar spinal SEPs, 126

Parkinsonism

- dopamine component of P300, 446

Pathways

- interactions of SEPs, 26
- N70 and P100 in multiple sclerosis, 1
- recovery functions of somatosensory vertex potentials, 531

Pattern

- extrastriate generators of pattern onset EP, 181
- steady-state pattern ERGs and VEPs, 81
- 3D pattern VEPs, 329
- 3D pattern VEPs and multiple sclerosis, 339

Pattern reversal VEP

- effect of check size, 161
- maps to 1, 2, 4 c/deg patterned stimuli, 167

Pentobarbital effects on BAEPs, 412

Phase

- alpha phase VEP relationships, 241
- steady-state pattern ERGs and VEPs, 81
- steady-state VEP phase, 89

Phenylketonuria and EPs in children, 8

Physostigmine

- cholinergic effects on human midlatency AEPs, 303

Pons

- N18 SEP in a pontine lesion, 238
- origin and distribution of brain-stem SEPs, 221

Positive airway pressure

- ERPs in obstructive sleep apnea, 454

Posterior column

- estimation of spinal conduction velocity, 39

Power spectral analysis

- EEG/VEP relationships, 16
- SEPs in Huntington's disease, 251

Precentral SEP component

- pre- and postcentral SEPs in interfering conditions, 522
- SEPs to finger joint or cutaneous inputs, 513

Prestimulus condition

- EEG/VEP relationships, 16

Progressive myoclonic epilepsy

- spontaneous and reflex myoclonias, 326

Prosodic stimuli in adult autistic subjects, 561

Pudendal nerve

- cerebral EPs to rectal stimulation, 490
- pudendal and tibial nerve multichannel SEPs, 228

P100

- effect of check size on pattern reversal VEPs, 161
- N70 and P100 in multiple sclerosis, 1
- steady-state VEP phase, 89

P14

- medullary origin of the N18 far-field SEP, 496
- nasopharyngeal P14 in coma and brain death, 352

P3

- prosodic stimuli in adult autistic subjects, 561

P300

- dopamine component of P300 in Parkinson's disease, 446
- visual cognitive P300 in the monkey, 65

Rat

- BAEPs affected by hypothermia and pentobarbital, 412
- EPs in slices of rat sensorimotor cortex, 310
- SEPs and hyperthermia, 384
- SEPs from scalp and dorsal column nuclei, 378

Recovery functions of somatosensory vertex potentials, 531

Rectal EPs, 490

Reference electrode

- influence of ear reference on SEP voltage, 504

Reflex

- spontaneous and reflex myoclonias, 326

Relatives at risk

- SEPs in Huntington's disease, 251

Reticular arousal system

- cholinergic effects on human midlatency AEPs, 303

Retina

- steady-state pattern ERGs and VEPs, 81

Sciatic nerve

- rat SEPs from scalp and dorsal column nuclei, 378

Scopolamine

- and VEPs in aging and dementia, 347
- cholinergic effects on human midlatency AEPs, 303

Selective attention, *see* AttentionSensorimotor, *see* Somatosensory

Sensory deficit

- A δ SEPs from electrical stimulation, 103
- laser SEP in dissociated sensory loss, 284
- N18 SEP in a pontine lesion, 238
- SEPs and localized lesions of the postcentral gyrus, 536

Sensory gating

- pre- and postcentral SEPs in interfering conditions, 522
- SEPs in Huntington's disease, 251

Sensory pathways

- recovery functions of somatosensory vertex potentials, 531

Sex differences in magnetic N100 localization, 53

Short latency components

- medullary origin of the N18 far-field SEP, 496
- trigeminal EPs, 119
- vestibular ER in man, 140

Sleep apnea and ERPs, 454

Somatosensory cortex

- cerebral magnetic field to lingual stimulation, 459
- EPs in slices of rat sensorimotor cortex, 310
- SEPs and localized lesions of the postcentral gyrus, 536

Somatosensory evoked potentials

- adaptive Fourier series modeling, 108
- after cerebral infarction, 276
- and localized lesions of the postcentral gyrus, 536
- A δ SEPs from electrical stimulation, 103
- by magnetic stimulation, 32
- estimation of spinal conduction velocity, 39
- influence of ear reference on SEP voltage, 504
- in Huntington's disease, 251
- in neonates and infants, 94
- interactions of SEPs, 26
- intraoperative spinal EPs in syringomyelia, 155
- laser SEP in dissociated sensory loss, 284
- lumbar spinal SEPs and paresthesiae, 126
- medullary origin of the N18 far-field SEP, 496
- midlatency SEPs in Down's syndrome, 364
- nasopharyngeal P14 in coma and brain death, 352
- N18 SEP in a pontine lesion, 238
- of dorsal column nuclei, 215
- origin and distribution of brain-stem SEPs, 221
- pain-related magnetic fields and electrical potentials, 46
- pre- and postcentral SEPs in interfering conditions, 522

- pudendal and tibial nerve multichannel SEPs, 228
- rat SEPs and hyperthermia, 384
- rat SEPs from scalp and dorsal column nuclei, 378
- recovery functions of somatosensory vertex potentials, 531
- sensorimotor central conduction time, and coma, 469
- SEP maps and selective spatial attention, 201
- SEP recovery in myoclonic patients, 21
- short latency trigeminal EPs, 119
- spontaneous and reflex myoclonias, 326
- tibial nerve SEPs in cerebral infarction, 262
- to finger joint or cutaneous inputs, 513
- to magnetic nerve stimulation, 372

Sound lateralization

- binaural interaction EPs, 146
- memory-dependent AEPs to binaural interaction, 399

Source localization

- extrastriate generators of pattern onset EP, 181
- dipole source localization in EP generators, 321
- gender differences in magnetic N100 localization, 53

Spatial attention and SEP maps, 201

Spatial distribution, *see* Topographic mapping

Spatial frequency

- steady-state pattern ERGs and VEPs, 81

Speech, *see* Language

Spinal cord

- cervical and lumbo-sacral evoked electrospinogram, 477
- intraoperative spinal EPs in syringomyelia, 155
- lumbar spinal SEPs and paresthesiae, 126

Spinothalamic tract

- estimation of spinal conduction velocity, 39

Steady-state response

- steady-state pattern ERGs and VEPs, 81
- steady-state VEP phase, 89

Stimulus intensity

- SEPs by magnetic stimulation, 32

Stimulus rate

- effect of click rate on BAEPs in children, 60

Stimulus sequence

- magnetic responses to dichotic stimulation, 406

Stroke

- sensorimotor central conduction time, and coma, 469
- SEPs after cerebral infarction, 276
- tibial nerve SEPs in cerebral infarction, 262

Superior olivary complex

- BAEPs after kainic acid lesion of superior olive, 422

Syringomyelia

- intraoperative spinal EPs, 155

Tactile input

- SEPs to finger joint or cutaneous inputs, 513

Task condition

- SEP maps and selective spatial attention, 201

Temperature sensitivity

- BAEPs affected by hypothermia and pentobarbital, 412
- hypoglycemia, temperature and BAEP changes, 547
- laser SEP in dissociated sensory loss, 284

Tibial nerve

- midlatency SEPs in Down's syndrome, 364
- multichannel SEPs, 228
- SEPs in Huntington's disease, 251
- SEPs of dorsal column nuclei, 215

Time domain

- adaptive Fourier series modeling of EPs, 108

Tongue

- cerebral magnetic field to lingual stimulation, 459

Topographic mapping

- extrastriate generators of pattern onset EP, 181

- influence of ear reference on SEP voltage, 504
- pudendal and tibial nerve multichannel SEPs, 228
- SEP maps and selective spatial attention, 201
- SEPs in Huntington's disease, 251
- SEPs to finger joint or cutaneous inputs, 513
- VEP maps to 1, 2, 4 c/deg patterned stimuli, 167
- Torticollis
 - SEPs of dorsal column nuclei, 215
- Trigeminal nerve
 - cerebral magnetic field to lingual stimulation, 459
 - short latency trigeminal EPs, 119
- Ulnar nerve
 - interactions of SEPs, 26
- Vertex
 - recovery functions of somatosensory vertex potentials, 531
- Vestibular evoked responses
 - short latency vestibular ER in man, 140
- Visual cortex
 - VEP maps to 1, 2, 4 c/deg patterned stimuli, 167
- Visual evoked potentials
 - alpha phase VEP relationships, 241
 - EEG/VEP relationships, 16
 - effect of check size on pattern reversal VEPs, 161
 - extrastriate generators of pattern onset EP, 181
 - in multiple sclerosis, 1, 339
 - in phenylketonuric children, 8
 - scopolamine and VEPs in aging and dementia, 347
 - steady-state pattern ERGs and VEPs, 81
 - steady-state VEP phase, 89
 - VEP maps to 1, 2, 4 c/deg patterned stimuli, 167
 - visual cognitive P300 in the monkey, 65
 - 3D pattern VEPs, 329, 339

